

	Hits	Search Text	DBs
1	11456	((growth\$1 or expand\$1) with (trend\$1 or analysis or estimat\$4))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	8710	11 and (@ad < "20010919")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	159	L2 and ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	2	13 and (key\$1 with range\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	16811	((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.	USPAT
6	9	13 and 15	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
7	115	((growth\$1 or expand\$1) with (statistics))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	75	17 and (@ad < "20010919")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
9	6	18 and 15	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
10	17	key\$1 with range\$1 with statistics	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
11	13	110 and (@ad < "20010919")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
12	0	111 and (growth\$1 and expand\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
13	0	113 and free	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
14	7	111 and (growth\$1 or expand\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	2	statstime and (@ad < "20010919")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
16	3938	((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) same ((start\$4 or begin\$4) with time))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
17	0	116 and ((key\$1 with range\$1) same ((growth\$1 or expand\$1) with statistics))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
18	0	116 and ((key\$1 with range\$1) same ((growth\$1 or expand\$1) same statistics))	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
19	0	116 and ((key\$1 with range\$1) same statistics) and (growth\$1 or expand\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
20	7	116 and key\$1 and (range\$1 same statistics) and (growth\$1 or expand\$1)	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
1	17589	((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	16668	((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.	USPAT
3	273	((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	270	(((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
5	147	((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	2932	((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	11	((((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1)) and (@ad < "20010919")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	15	(((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	2	(((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and ((key\$1 or id\$1 or identifier\$1 or pointer\$1) with range\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	2	(((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (key\$1 same	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	12	((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	2	((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1)) and (@ad < "2001091	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	2	(((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (key\$1 with	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	13	((((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or (free adj page))) and (key\$1 with range\$1)) not ((((((control\$4 or monitor\$4 or manag\$4) with free with (space\$1 or area\$1 or part\$1))) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) and (@ad < "20010919")) and (table\$1 or relation\$1 or entit\$3) and index\$2) and (((free adj space adj parameter\$1) or PCTFREE or (percent adj free) or freepage or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	49	("5680607") or ("6049802") or ("6420526") or ("6393569") or ("6405132") or ("6105024") or ("6144970") or ("6154746") or ("6530008") or ("6668263") or ("4863111") or ("4920773") or ("5600742") or ("4316626") or ("4371279") or ("4459833") or ("4563133") or ("4782675") or ("5302013") or ("5528916") or ("5647158") or ("5653589") or ("5735148") or ("5816985") or ("5864625") or ("6247641") or ("6287765") or ("6070240") or ("6215748") or ("6215748") or ("6420127") or ("4933880") or ("5195046") or ("6711287") or ("4819156") or ("5222235") or ("5404510") or ("6088649") or ("6102286") or ("6292830") or ("6389468") or ("6453360") or ("6493699") or ("4588017") or ("4271037") or ("4494634") or ("4538664") or ("5225652") or ("5249302") or ("5250893")) .PN.	USPAT
16	2	((creat\$4 or generat\$4) with (key adj range\$1)) same table\$1 same index\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	5	((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	6	((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	5	((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page\$1) and (@ad < "20010919")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	19	((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	14	((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) not (((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3) and page\$1) and (@ad <	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	1	"create keyrangeset"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	2	((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with (free\$1space\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	237	((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	2	(((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	1	"6144970".PN.	USPAT
27	201	(((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	16811	((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.	USPAT

	Hits	Search Text	DBs
29	14	(((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
30	12	((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) and (((707/1-10) or (707/100-104.1) or (707/200-206) or (369/53.31) or (369/53.11) or (369/53.1) or (369/275.3) or (369/272) or (369/275.1) or (709/200) or (709/223) or (709/226)).CCLS.)) not ((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) a	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	0	((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919")) and ((growth\$1 or expand\$1) with (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	20	((((user\$1specif\$4 or user\$1defin\$4 or (user\$1 with defin\$4) or (user\$1 with specif\$4)) with ((free with space\$1) or PCTFREE or (percent adj free) or freepage or (free adj page)))) and (@ad < "20010919"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hit s	Search Text	DBs
1	2	((creat\$4 or generat\$4) with (key adj range\$1)) same table\$1 same index\$3	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
2	5	15 and page	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
3	6	15 and page\$1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
4	5	17 and (@ad < "20010919")	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
5	19	((creat\$4 or generat\$4) with (key with range\$1)) same table\$1 same index\$3	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB
6	14	15 not 18	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB